


WINDOW SEAL

for Mobile Air Conditioner



Dear customer,

Thank you for choosing our product. Please read the operating instructions carefully before installing or using the product in order to avoid damage due to improper use.

WARNINGS

- Before gluing, please check that the adhesive strip does not damage the window frames.
- Please make sure that you can still close the window properly. Therefore, do not stick on the sealing area of the window.
- Please make sure that the closing mechanism of the window is not blocked by the window seal.

INSTALLATION

1. Please open the window for cleaning all surfaces of the window frame and -sash where the window seal will be placed on. It is important to ensure that these surfaces are free of dust and oils. Open the Velcro fastener and stick the Velcro in the middle of the window frame.
2. Glue the Velcro to the outside or inside of the window sash. Please make sure that the window can still be closed. Please do not stick on the sealing of the window.
3. When the window is open, the wider side B (zipper remains closed) should be attached to the window frame evenly and completely in all directions. You should mark the middle of the window seal and always start sticking from the middle of the window frame.
4. When the window is closed, care should be taken to ensure that the window seal is not pinched.
5. With the window open, attach the narrow side A (zipper remains closed) evenly and completely to the window sash in all directions.
6. The window can now easily be opened and closed again. When the window is open, the exhaust hose of your mobile air conditioner can now be clamped into the window seal using the zip.
7. The window seal is now ready for use.

DRAWING OF THE WINDOW SEAL

EN

A. Always attach the narrow side of the window seal to the window sash.



B. Attach the wide side of the window seal to the window frame.

CARE AND CLEANING

- In the case of heavy soiling, the window seal can be wiped with lukewarm water. Do not use conventional cleaning agents or detergents.
- A soft brush is best for cleaning, then wipe the window seal with a damp cloth.
- Please never put the window seal in the washing machine!

Contact

If you have questions about the appliance you can always get in touch with NOVAER or the distributor in your country. The contact details of NOVAER can be seen below. For contacting the distributor, you can visit their website for further details.

NOVAER GmbH
Postfach 1452
82035 Deisenhofen
Germany

info@novaer.de